## 9/RF2194

			_	
DIST	_	,,,		
DIST. BRETZKE, J.C.	_	-	1	CH
BRETZKE, J.C. BURLINGAME, A H	_	L	_	_
BURLINGAME, A H	_	L	4	_
COPP R.D.		_	1	
CROUCHER, D.W.			1	
DAVIS, J.G.			Ţ	
EVERED, J.E.			1	
FERRERA, D.W.			T	
FERRIS, L.A.		_	T	
FRAIKOR F.J.		_	t	_
FRANCIS, G.E.	╗	_	t	
GOODWIN, R.	7	_	t	-
HEALY, TJ.	7		t	-
IDEKER E.H.	7	_	t	-
JENS, J. P	+	-	t	
KEELE, P. B.	+		t	
KERSH, J.M.	+	_	ŀ	-
KIRBY, W.A.	+	_	Ļ	
	4		Ļ	
	4		Ļ	_
	4	_	L	_
MAJESTIC J.R.	4	-	L	_
MATHEWS, TA	4	_	L	
MEURRENS, B.E.	1		L	
MORGAN, R.V.				
NORTH, P.	1			
PALMER, L.A.	T			
POTTER, G.L.	Τ			_
PIZZUTO V M	Ι			_
PHCADES 11	Ι			_
SAFFELLBE	I			_
SWANSON, E.R.	Ι	$\neg$		_
WIEBE, J.S.	T	П		_
WILKINSON, R.B.	T	╗	-	_
WILLIAMS, R. E.	Т	┪	_	_
WILSON, J. M.	+	づ	-	_
YOUNG, E.R.	+	7		_
ZANE, J. O.	+	+	_	_
	+	+	-	•
Frick. L. JC	٠	X	-	-
C1100. C. OC	1	4	-	-
Reno, C. D.	۲	χt		t
S. M. Nesta	۲	7	,	ż
	+	+	-	Ż
M E VOOR	1	4	3	Ĺ
	H	4	-	7
D & FOLL 645	Á	4	ž	-
- MO	<u>LX</u>	+	4	-
	ļ_	+	_	-
	-	+	_	-
<del></del>	Ļ	1	_	_
EDWM	X	$\perp$	X	_
******		I	_	
CORRES CONTROL	X	T	X	_
TIPIA CONTRACTOR		-	_	_

CLASSIFICATION:

TRAFFIC

UCNI XX UNCLASSIFIED XX CONFIDENTIAL SECRET

AUTHORIZED CLASSIFIER SIGNATURE

IN REPLY TO LTRIN

LTR APPROVAL STATE

L.J. 0 FOR THIS INITIALS

## **EG&G ROCKY FLATS**

EG&G ROCKY FLATS, INC.

ROCKY FLATS PLANT, P.O. BOX 464, GOLDEN, COLORADO 80402-0464 • (303) 966-7000

April 22, 1991



000017271

91-RF-2194

14400

Attn: D. P. Simonson

Robert M. Neison, Jr.

Manager DOE, RFO

ENVIRONMENTAL ASSESSMENT OF DEWATERING AND RCRA PARTIAL CLOSURE ACTION ON THE SOLAR EVAPORATION PONDS

Attached is the latest revision of the "Environmental Assessment of Dewatering and RCRA Partial Closure Action on the Solar Evaporation Ponds." This version incorporates comments from the Colorado Department of Health (CDH) pre-approval review which required more background history concerning Solar Pond 207-C, and descriptions of the proposed actions pertaining to Solar Ponds A, B, & C.

One particular comment from CDH was not addressed in this EA. That comment referenced the possible implementation of an interim measure / interim remedial action (IM/IRA) for the treatment of ground water via the interceptor trench system and surge tanks. It was felt that this comment was not appropriate for inclusion into this EA, but would be discussed separately among CDH, EG&G and DOE.

Should you have any questions or comments regarding this transmittal, please contact Steve Nesta at 273-6076.

M. Kersh

Associate General Manager

**Environmental and Waste Management** 

MEJ:bmb

Orig. and 1cc - R. M. Nelson, Jr.

Attachment:

As Stated